

The Gazette



सत्यमेव जयते

of India

29/7/52

, 27]

NEW DELHI, SATURDAY, JULY 5, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th June, 1952

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)								Bihar—contd.							
Ajmer								Muzaaffarpur . . .							
TOTAL . . .	62	8	3	3	Darbhanga . . .	30	8	8	1
td. mid-year pop. 706 thousands)							Monghyr . . .	4	1	—
l for w/e 31.5.52	5	5	Bhagalpur . . .	2	1	12	1
l for w/e 24.5.52	4	3	Saharsa
early mean for the week	3	2	Purnea
Assam								Santal Parganas . . .							
er	6	2	Hazaribagh
el and Jaintia Hills	1	Ranchi
a Hills	2	1	Manbhum . . .	16	11	22	2
'para	Palemsu . . .	53	27	11
rup	Singhbhum
rang . . .	2	1	TOTAL . . .	149	59	73	9
vgong	(Estd. mid-year pop. 40,709 thousands)								
agar	Total for w/e 31.5.52	126	59	138	18
himpur	Total for w/e 24.5.52	69	32	181	38
ra & Frontier Tracts	7-yearly mean for the week . . .	1050	558	362	78	3	2
Hills . . .	1	1	Bombay								
TOTAL . . .	3	2	9	3	Bombay	6	2
l. mid-year pop. 4 thousands)							Ahmedabad	10	6
l for w/e 31.5.52	11	7	10	3	Kaira	4	2
w/e 24.5.52	15	8	12	4	Broach
mean for the	60	30	9	2	Panch Mahals
Bhopal								Surat	6	2
No incidence.								Thana
l-year pop. lands)							Bombay Suburbans
/e 31.5.52	Ahmednagar . . .	3	2	1	1
, 24.5.52	East Khandesh
n for the	1	West Khandesh	1	1
Bihar								Amreli
..	Nesik	1
6	1	Poona . . .	7	2	6
18	2	13	4	Satara North . . .	14	8	1	1
20	8	Satara South
..	..	7	1	Sbolajpur . . .	1	..	3	3
								Sabarkantha

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th June, 1952—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.	
Bombay—contd.								Madhya Pradesh—contd.															
Belgaum	Surguja	
Bijapur	Raigarh	
Dharwar . . .	18	7	4	1	Amravati	2	
Kanara	Yestmal	
Ratnagiri	Akola	
Kolaba	8	1	Buldana	
Kolhapur . . .	1	1	1	TOTAL . . .	85	62	90	12	
Baroda	(Estd. mid-year pop.															
Navsari	21,654 thousands)															
Danga	Total for w/e 31.5.52.	99	51	67	6	
Malwan	Total for w/e 24.5.52.	74	37	107	17	
Mehsana	1	1	7-Yearly mean for	141	73	303	43	
TOTAL	44	20	53	21	the week	
(Estd. mid-year pop.								Madras															
36,802 thousands.)								Visakhapatnam	17	7									
Total for w/e 31.5.52	31	13	122	40	Srikakulam	18	6									
Total for w/e 24.5.52	81	20	139	31	East Godavari . . .	3	1	16	5									
7-yearly mean for	67	25	214	45	3	2	..	Krishna . . .	3	1	15	3									
the week	Guntur	8	1									
Goorg								Nellore . . .	4	2	10	3									
No incidence.								Ouddappah . . .	64	23	29	8									
(Estd. mid-year pop.								Kurnool									
237 thousands)	6	1	Bellary	9	1									
Total for w/e 31.5.52	Anantapur . . .	10	4	3	1									
Total for w/e 24.5.52	Madras . . .	6	..	3	2									
7-yearly mean for the	2	Chingleput . . .	20	18									
week	Obittoor . . .	41	27	2	2									
Delhi								North Arcot . . .	2	1	4									
No incidence.								Salem . . .	3	3	8	1									
(Estd. mid-year pop.								Coimbatore . . .	1	..	12	1									
1,744 thousands)	1	South Arcot	4	2									
Total for w/e 31.5.52	11	1	Tanjore	17	4									
Total for w/e 24.5.52	11	6	Tiruchirapalli . . .	6	3	19	4									
7-yearly mean for the	Mathurai	2									
week	Ramanathapuram . . .	7	3	4	6									
Himachal Pradesh								Tirunelveli	5	2									
Return not received.								Nilgiris									
Madhya Pradesh								Malabar	15	3									
Nagpur	South Kanara									
Wardha	West Godavari	6									
Chanda	49	6	TOTAL . . .	170	86	224	62									
Chhindwara	1	(Estd. mid-year pop.															
Betul	1	67,900 thousands)															
Bhandara	Total for w/e 31.5.52	174	85	267	61									
Jabalpur	3	1	Total for w/e 24.5.52	140	75	314	73									
Sagar . . .	8	10	3	7-yearly mean for	163	82	485	99									
Mandla	the week									
Hoshangabad	12	2	Manipur															
Nimar	TOTAL	2	1									
Balaghat	(Estd. mid-year pop.															
Raipur . . .	19	13	6	1	688 thousands)															
Bilaspur . . .	68	39	Total for w/e 31.5.52	1									
Durg	13	2	Total for w/e 24.5.52	1									
Bastar									

Explanation of Symbols used :—C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th June, 1952—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Orissa								Uttar Pradesh— <i>contd.</i>							
Cuttack	32	19	59	25	Aligarh
Balasore	Mathura
Puri	17	5	12	2	Agra	1	1
Sambalpur	98	58	76	20	Mainpuri
Khondmals	124	89	Etah
Ganjam Plains	1	Bareilly	2	2	9	3
Ganjam Agency	Bijnor
Koraput	2	Budaun
Keonjhar	Moradabad
Ohenkanal	Shahjahanpur
Bolangir Patha . .	39	33	24	5	Philibhit
Sundergarh	13	4	Farrukhabad	4
Kalahandi	3	2	10	Etawah	2	2	..	2
Angul	Kanpur	7	6	2
Mayurbhanj	16	4	Fatehpur	44	19	2
TOTAL	313	206	213	60	Allahabad	46	10
(Estd. mid. year pop. 14,761 thousands)								Jhansi	7	4
Total for w/e 31-5-52	85	61	105	25	Jalaun
Total for w/e 24-5-52	161	80	337	39	Hamirpur	34	26
7-Yearly mean for the week	77	42	211	47	Banda	135	62
Panjab, (I)								Banaras	4	3
Hissar	Mirzapur
Rohtak	Jaunpur	9	4
Gurgaon	Ghaziipur
Karnal	Ballia
Ambala	Gorakhpur
Simla	Deoria
Kangra	Basti	10	8
Hoshiarpur	2	Azamgarh
Jullundur	3	1	Nainital
Ludhiana	4	Almora
Ferozepur	3	1	Garhwal	2	1
Amritsar	Lucknow	3	..	3	1
Gurugpur	Unao	7	3
TOTAL	12	2	Rae Bareilly
(Estd. mid-year pop. 12,645 thousands)								Sitapur	4	2
Total for w/e 31-5-52	11	10	Hardoi	10	5
Total for w/e 24-5-52	73	6	Kheri	28	14
7-yearly mean for the week	8	4	31	13	Faizabad	2	1
Tripura								Gonda
No incidence.								Bahraich	8	8
(Estd. mid-year pop. 668 thousands)								Sultanpur
Total for w/e 31-5-52	4	1	2	Partapgarh	1
Total for w/e 24-5-52	1	..	1	Bara Banki	3	1
Uttar Pradesh								Rampur
Jehra Dun	4	TOTAL	208	157	85	31
Sharanpur	(Estd. mid-year pop. 84,152 thousands)							
Musaffarnagar	Total for w/e 31-5-52	339	173	144	37	12
Meerut	Total for w/e 24-5-52	327	194	212	56	1
Dehra Dun	7-yearly mean for the week	793	406	224	61	4	2	..

Explanation of Symbols used :—C= Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th June, 1952—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
West Bengal								Hyderabad—contd.							
Burdwan	.	4	2	12	7	—	—	Osmanabad	.	—	—	—	—	—	—
Birbhum	.	—	1	19	8	—	—	Warrangal	.	—	—	—	—	—	—
Bankura	.	13	0	16	1	—	—	Karimnagar	.	—	—	—	—	—	—
Midnapur	.	11	6	4	4	—	—	Adilabad	.	—	—	—	—	—	—
Hooghly	.	7	2	2	—	—	—	Nizamabad	.	—	—	—	—	—	—
Howrah	.	49	20	2	1	—	—	Medak	.	—	—	—	—	—	—
24-Parganas	.	18	8	33	12	—	—	Nalgonda	.	14	7	—	—	—	—
Calcutta	.	90	46	2	1	1	—	Mahbubnagar	.	—	—	—	—	—	—
Nadia	.	1	—	1	—	—	—	Hyderabad	.	7	—	—	—	—	—
Murshidabad	.	2	1	15	7	—	—	Nanded	.	—	—	6	—	—	—
Malda	.	—	—	—	—	—	—	TOTAL	.	32	15	6	—	—	—
West Dinajpur	.	—	—	2	1	—	—	Jammu & Kashmir							
Jalpaiguri	.	—	—	—	—	—	—	Returns not received							
Darjeeling	.	—	—	—	—	—	—	Madhya Bharat							
Cooch Behar	.	—	—	1	—	—	—	Bhind	.	—	—	—	—	—	—
Chandernagore	.	3	1	—	—	—	—	Bhilai	.	—	—	—	—	—	—
TOTAL	.	207	102	109	42	1	—	Gird	.	—	—	—	—	—	—
(Estd. mid-year pop. 25,180 thousands)								Indore	.	—	—	1	1	—	—
Total for w/e 31-5-52	.	242	105	175	70	—	—	Jhabua	.	—	—	—	—	—	—
Total for w/e 24-5-52	.	348	166	292	103	—	1	Morena	.	—	—	—	—	—	—
7-yearly mean for the week	.	288	113	290	143	—	—	Mandsaur	.	—	—	—	—	—	—
Grand total for States								Nimar	.	—	—	—	—	—	—
Parts (A) & (C) excluding Himachal Pradesh		1,331	702	873	246	1	—	Ratlam	.	—	—	—	—	—	—
(Estd. mid-year pop. 287,825 thousands).								Shivpuri	.	20	14	—	—	—	—
Corresponding total for w/e 31-5-52		1,111	556	1,054	276	12	—	Shajapur	.	—	—	—	—	—	—
Corresponding total for w/e 24-5-52		1,225	612	1,684	371	1	1	TOTAL		20	14	1	1	—	—
7-yearly mean for the week		2,053	1,342	2,146	539	13	8	Mysore							
STATES PART (B)								Bangalore	.	7	3	5	3	—	—
Hyderabad								Chikmagalur	.	—	—	—	—	—	—
Aurangabad	.	6	4	—	—	—	—	Chitaldrug	.	—	—	—	—	—	—
Parbhani	.	—	—	—	—	—	—	Hassan	.	—	—	—	—	—	—
Bhir	.	5	4	—	—	—	—	Kadur	.	—	—	—	—	—	—
Gulbarga	.	—	—	—	—	—	—	Kolar	.	—	—	—	1	—	—
Raichur	.	—	—	—	—	—	—	Mandya	.	—	—	6	2	—	—
Bidar	.	—	—	—	—	—	—	Mysore	.	23	3	—	—	6	2
								Shimoga	.	8	2	2	2	—	—
								Tamkur	.	6	3	—	—	—	—
								TOTAL	.	44	11	13	8	6	—
Explanation of Symbols used:—C.—Cases; D.—Deaths															

Explanation of Symbols used: C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th June, 1952—concl'd.

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE																																									
C.						D.						C.						D.						C.						D.						C.						D.																													
Patiala & East Punjab States Union												ARREAR INFORMATION																																																											
TOTAL						45						4											Patiala & East Punjab States Union																																									
Rajasthan												w/e 24-5-52												88						16																																		
Return not received.												w/e 31-5-52												29						8																																		
Saurashtra												Ajmer																																																											
Gohilwad						9						3											w/e 31-5-52						5						5																						
Halar																	
Madhya Saurashtra						1																												
Sorath						6																												
Zalawad						1						2																												
TOTAL						17						5																												
Travancore-Cochin												TYPHUS																																																											
TOTAL						8						2																												
Vindhya Pradesh												Place												Period												Cases												Deaths																							
No incidence.												Greater Bombay w/e												7-6-52												1												..																							
Grand total for States Part (B)												POLIOMYELITIS												(Information based on patients treated in hospitals in important towns.)												Place												Period												Cases											
Grand total for States Parts (A), (B) & (C)												Bombay												16-30 May, 1952												8												8																							
												Oriasa												" " "												5												5																							
Explanation of symbols used :—C.—Cases ; D.—Deaths.																																																																							

Explanation of symbols used :—C.—Cases ; D.—Deaths.

NEW DELHI 2 (INDIA) ;
The 30th June, 1952

C. V. RAMCHANDANI,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year.

Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952.

Deaths from :—																
Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.			
STATES—(Parts A and C)																
Ajmer	203	73	18.7	13	4	21	..	54	13.8	15			
Beawar	53	15	14.7	4	3	..	16	..	3	..	34	33.4	12			
TOTAL	256	88	17.9	4	3	..	29	4	24	..	88	17.9	27			
Assam	Returns not received.															
Bhopal	Returns not received.															
Bihar	Returns not received.															
Arrah	67	5	3.9	1	3	1	..	6	4.7	..			
Bettiah†																
Bhagalpur	118	11	4.9	..	1	..	5	23	10.1	..			
Bihar†																
Chupra	66	22	17.4	3	6	26	20.5	3			
Darbhanga	86	19	11.5	2	5	3.0	..			
Dhanbad†																
Dinapur	44	2	2.4	2	2.4	..			
Gaya	138	44	16.0	..	1	..	18	1	12	..	62	23.4	..			
Hazaribagh†																
Jamalpur	45	14	16.2	3	3	3.5	..			
Jamshedpur	227	75	17.2	1	2	..	14	3.2	4			
Katihar	45			
Monghyr†																
Muzaffarpur	77	22	14.9	1	1	12	8.1	..			
Patna	293	56	9.9	..	1	..	6	2	..	1	20	3.5	..			
Purulia	43	9	10.9	2	1	5	6.1	..			
Ranchi†																
TOTAL	1,249	279	11.6	4	3	..	44	7	15	2	178	7.4	7			
Bombay																
Ahmedabad	814	564	37.6	..	5	..	29	16	127	3	332	21.2	130			
Ahmednagar	83	84	52.6	1	..	4	..	17	10.7	4			
Amalner	46	30	38.9	5	..	1	..	8	9.0	1			
Bagalkot	33	19	29.9	1	1	1	2	10	15.8	2			
Baroda	219	120	28.4	24	..	10	1	60	14.2	11			
Barr	43	20	24.2	4	1	1	..	10	12.1	2			
Belgaum	85	19	11.6	4	1	1	..	16	9.8	3			
Bhusawal†																
Bijapur	68	55	26.8	1	1	2	..	14	10.7	3			
Broach	64	38	30.9	4	..	2	1	20	16.3	1			
Cambay	40	33	36.9	11	..	1	..	13	16.9	1			
Chalgaon	31	19	31.0	6	1	9	15.1	..			
Dharwar	69	31	23.5	3	1	3	1	21	15.8	..			
Dhulia†																
Gadag-Betgeri†																
Godhra	40	37	48.1	7	..	1	..	11	14.5	2			
Greater Bombay	2,987	1,314	22.9	..	2	..	8	21	203	2	825	14.4	199			
Hubli	134	67	26.0	..	1	..	1	..	2	..	14	5.4	..			
Jalgaon	71	34	24.9	4	..	3	1	12	8.8	5			
Kalyan†																
Kolhapur	143	87	31.6	2	1	6	..	40	14.5	8			
Malegaon	57	31	28.3	1	1	1	..	9	6.1	6			
Miraj†																
Nadiad	65	53	42.4	17	26	20.8	9			
Nasik	103	57	28.8	8	4	7	..	35	17.7	5			
Nandurbar	31	12	20.1	1	..	1	1	5	8.4	1			
Navsari	46	36	40.7	6	1	11	12.4	4			
Pandharpur	41	37	46.9	4	3	5	..	14	17.8	2			
Patan†																
Poona	516	297	29.2	3	8	42	7	125	12.6	3			
Sangli	52	28	28.6	2	7	7.0	6			
Satara	38	27	36.9	2	15	20.5	12			
Sholapur	274	218	41.4	11	3	32	1	68	12.9	24			
Surat	230	140	38.4	32	7	17	..	99	22.4	5			
Thana	53	31	30.4	2	..	3	1	18	16.7	4			
TOTAL	5,876	3,518	31.1	..	8	..	204	70	476	23	1,864	16.8	433			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952.—*contd.*

Deaths from :—														
Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Delhi State														
Delhi City	955	422	23.0	154	10	35	..	248	13.5	57	
New Delhi	304	111	19.0	2	2	4	..	63	10.8	15	
TOTAL	1,259	533	22.0	156	12	39	..	311	12.8	72	
Madhya Pradesh														
Achalpur	36	15	21.7	4	11	15.9	5	
Akola†	90	42	24.3	9	1	4	1	27	15.6	5	
Amravati	39	29	38.7	..	1	..	8	2	1	..	17	22.7	..	
Bilaspur	72	57	41.2	11	1	22	15.9	..	
Burhanpur	41	17	21.6	6	..	3	..	12	15.2	4	
Chanda	39	30	40.0	..	5	..	29	2	4	..	50	66.7	10	
Damoh†	34	14	21.4	5	..	1	..	12	18.4	..	
Gondia	54	19	18.3	6	2	2	..	12	11.6	..	
Hinganghat	489	102	11.3	..	1	..	56	6	5	24	119	13.2	8	
Jabalpur†	93	10	5.6	12	2	21	11.7	..	
Khandwa	41	22	27.9	3	2	..	†	13	16.5	†	
Nagpur	37	28	39.4	6	..	1	..	16	22.5	5	
Raipur	1,045	385	19.2	..	7	..	155	18	21	25	332	16.0	37	
Sagar†	56	41	38.1	5	..	16	14.9	3	
Seoni	42	38	47.0	3	11	13.6	4	
Wardha	42	22	27.2	6	4	2	..	16	19.8	6	
Yeshwantpur	50	38	39.5	2	2	1	..	10	10.4	4	
Bellary †	32	18	29.3	..	1	..	2	..	1	..	6	9.8	1	
Bhimavaram	43	43	52.0	2	1	3	..	11	13.3	..	
Cannanore	37	28	29.4	1	2	6	8.4	1	
Chirala	203	163	41.7	2	12	26	1	82	21.0	19	
Chittoor †	69	59	44.5	2	5	1	22	16.6	6	
Coimbatore	39	22	29.3	1	3	1	..	10	13.3	2	
Cuddalore	82	55	34.9	1	3	..	16	10.1	2	
Cuddappah	90	44	25.4	7	4	3	..	29	16.8	2	
Dindigul	60	57	49.4	..	1	..	2	1	5	..	22	19.1	4	
Eluru	47	27	29.9	2	18	19.9	8	
Erode	124	104	43.6	6	4	9	1	51	21.4	14	
Guddiyattam	103	45	22.7	4	1	24	12.1	8	
Guntur	86	99	59.9	4	12	2	45	27.2	14	
Kakinada	38	20	26.7	3	19	25.3	6	
Kancheepuram	44	24	28.4	3	1	..	1	17	20.1	1	
Karalkudi	162	213	68.4	12	3	5	1	71	22.8	15	
Karur	95	55	36.1	3	5	1	28	15.3	6	
Kozhikode	62	38	31.9	1	1	17	14.3	2	
Kumbakonam	1,488	952	32.9	..	2	..	53	98	204	3	718	24.8	201	
Kurnool	81	36	23.1	2	..	1	..	19	12.2	6	
Madurai	378	279	38.4	..	2	..	8	15	65	1	146	20.1	32	
Mathurai	45	27	31.2	1	..	1	11	12.7	2	
Mayuram	38	19	26.0	..	1	1	2	..	12	16.4	4	
Malapalayam	59	44	38.8	2	3	1	25	22.0	6	
Nagapattinam	85	72	44.0	7	..	2	1	39	23.9	3	
Nellore	43	34	41.1	1	1	10	12.1	3	
Ootacamund	41	23	29.2	1	1	..	1	15	19.0	2	
Palyamkottai	71	46	33.7	2	1	2	..	24	17.6	10	
Palghat	109	53	25.3	3	3	2	..	34	16.2	8	
Proddatur†	63	45	37.1	3	..	6	1	16	13.2	2	
Pudukottai†	212	147	36.1	3	8	7	3	48	11.8	6	
Rajahmundry	41	33	41.9	..	1	..	2	1	..	1	11	14.0	2	
Rajapalayam	105	62	30.7	4	6	5	..	41	20.3	4	
Salem	63	63	52.0	3	..	5	3	24	19.8	2	
Scrivilliputtur	63	63	52.0	3	..	5	3	24	19.8	2	
Tanjore	63	63	52.0	3	..	5	3	24	19.8	2	
Tellicherry	63	63	52.0	3	..	5	3	24	19.8	2	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras—contd															
Tenali	60	17	14.7	5	..	1	..	15	13.0	3		
Tiruchirappalli	226	127	29.2	1	5	8	..	40	10.6	6		
Tirunelveli	75	35	24.3	6	..	17	11.8	4		
Tiruppur	55	52	40.2	2	1	7	6.6	2		
Tiruvannamalai	31	28	47.0	1	1	2	1	12	20.1	3		
Tuticorin	101	75	38.6	2	6	..	23	11.8	5		
Vaniyambadi	40	26	33.8	4	..	10	13.0	3		
Vellore	111	85	39.8	1	4	6	6	..	48	22.5	9		
Vijayavada	171	44	13.4	..	1	..	7	1	4	1	29	8.8	5		
Viradunagar	48	43	46.6	4	3	2	..	18	19.5	5		
Vizakshapatnam	113	49	22.5	2	2	8	..	37	17.0	10		
Vizianagaram	69	41	30.9	4	4	22	16.6	4		
TOTAL	5,645	3,810	35.1	1	9	..	172	218	438	28	2,024	18.6	480		
Orissa															
Berhampur	65	28	22.6	4	1	1	..	13	10.4	2		
Cuttack	106	88	43.3	1	3	5	..	29	14.3	4		
Puri	50	9	9.4	9	4	1	..	23	23.9	2		
TOTAL	221	125	29.4	14	8	7	..	65	15.3	8		
Punjab (I)															
Ambala	59	28	24.8	15	3	4	..	24	21.3	10		
Amritsar	317	143	23.6	3	7	27	2	81	13.4	19		
Batala	57	30	27.5	3	..	2	1	8	7.3	3		
Bhiwani	53	47	46.4	18	1	5	..	26	25.6	4		
Ferozepore	41	20	25.5	1	..	6	7.7	1		
Hissar	36	22	31.9	6	..	2	1	11	16.0	6		
Hoshiarpur	47	25	27.8	3	1	8	8.0	3		
Jullundur	176	83	24.7	13	1	3	..	26	7.7	9		
Karnal	61	27	23.1	9	..	1	..	10	8.6	2		
Ludhiana	159	87	28.6	16	..	3	..	28	9.2	7		
Moga	38	14	19.3	2	..	2	..	6	8.3	2		
Panipat	57	28	25.7	6	1	1	..	14	12.8	1		
Pathankot	31	17	28.7	1	1	2	3.4	..		
Rewari	35	14	20.9	8	1	3	..	12	17.9	4		
Rohtak†															
Simla	46	28	31.8	1	..	5	5.7	..		
Senapat†															
TOTAL	1,213	613	26.3	103	15	55	5	267	11.4	77		
Uttar Pradesh															
Agra	344	248	32.7	10	6	93	..	169	25.7	54		
Allahabad	332	106	17.2	5	2	51	2	99	14.6	20		
Amroha	59	52	46.1	8	3	6	1	41	36.3	16		
Bahraich	45	22	25.6	2	1	2	..	7	8.1	..		
Ballia	32	5	8.2	6	..	1	..	13	21.2	3		
Banaras	350	216	32.3	93	6	27	2	239	35.7	40		
Banda	31	10	16.9	1	..	5	8.4	..		
Bareilly	197	80	21.2	15	5	12	..	41	10.9	1		
Basti†															
Bijnor†															
Budaun†															
Bulandshahr	39	4	5.4	6	6	8.0	..		
Chandausi	38	17	23.4	7	2	2	..	17	23.4	10		
Dehra Dun	124	15	6.3	..	1	..	2	..	1	..	7	3.0	2		
Etawah	61	40	34.3	13	2	1	..	40	34.3	12		
Faizabad-Ajodhya	79	35	23.2	6	1	6	..	19	12.6	5		
Farrukhabad-Fatehgarh	76	33	22.7	20	1	5	..	33	22.7	5		
Ferozabad	69	27	20.5	14	1	19	14.1	4		
Ghaziabad	40	16	20.9	11	15	19.6	8		
Ghaziipur	35	21	31.4	6	..	2	..	13	19.4	6		
Gonda	33	14	22.2	3	3	2	..	9	11.3	3		

*In cases of towns where there has been an abnormal movement of population, it is held that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
†Figures not available.
Explanation of symbols used :—B =Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths.)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	B.	Deaths from :—									Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Gorakhpur	128	66	27.0	1	27	6	16	..	65	26.6	16	
Hapur	45	23	26.7	11	..	4	..	22	25.6	7	
Hardwar	58	37	33.4	16	7	5	..	47	42.4	12	
Hathras	58	42	37.0	35	5	5	..	51	46.0	13	
Jaunpur	53	24	23.7	..	2	..	5	..	2	1	15	14.8	1	
Jhansi	109	64	30.7	64	..	3	..	74	33.5	28	
Kanpur	662	274	21.0	103	24	28	7	278	22.0	79	
Kasganj†	39	19	25.5	7	..	4	..	21	28.2	8	
Khurja	141	82	30.4	24	4	6	..	49	18.2	16	
Koil-Aligarh	457	211	24.1	..	1	..	51	11	35	..	196	22.4	51	
Mathura†	35	36	53.8	4	..	1	..	7	10.5	1	
Meerut	167	85	26.6	11	8	8	..	38	11.9	7	
Mirzapur-Vindhyachal	90	50	29.0	16	4	4	..	37	21.5	12	
Moradabad	158	95	31.4	14	4	12	..	60	19.9	14	
Muzaffarnagar	67	46	35.9	2	1	2	..	15	11.7	2	
Pilibhit	45	43	50.0	14	6	4	..	41	47.6	16	
..	140	12	4.5	6	..	2	..	10	3.7	3	
Saharanpur	147	79	28.1	40	..	2	..	50	17.8	14	
Sambhal	62	55	46.4	2	3	..	2	14	11.8	7	
Shahjahanpur	99	28	14.8	23	..	4	..	39	20.6	13	
Sitapur	46	14	15.9	16	1	19	20.5	4	
TOTAL	4,780	2,346	25.5	1	4	..	725	117	359	13	1,930	21.0	531	
West Bengal														
Asansol†	62	8	6.7	1	4	3.4	..	
Baidyabati†	49	7	7.5	1	1	9	9.6	..	
Bally	80	31	20.3	2	3	4	..	21	13.7	5	
Bankura	36	10	14.5	1	1	1	4	5.8	..	
Bansberia†	58	24	21.6	6	..	2	..	14	12.6	..	
Baranagar	33	13	20.0	1	..	3	4.8	..	
Basirhat	136	18	6.9	6	..	2	..	30	11.5	13	
Berhampur	32	4	6.5	1	1	..	4	6.5	..	
Bhadreswar	77	9	6.1	3	6	4.1	..	
Bhatpara	2,609	885	17.7	46	1	..	69	48	176	1	683	13.7	152	
Budge-Budge	38	8	11.0	2	2	2.8	..	
Burdwan	38	8	11.0	2	2	2.8	..	
Calcutta	38	8	11.0	2	2	2.8	..	
Champdani	38	8	11.0	2	2	2.8	..	
Cooch-Behar†	38	8	11.0	2	2	2.8	..	
Darjeeling†	32	4	4	6.5	..	
English Bazar	114	25	11.5	1	4	1	13	6.0	5	
Garden Reach	37	2	2.8	4	5.7	1	
Halisahar	57	29	26.6	2	..	2	..	7	6.4	..	
Hogbly Chinsura	452	86	9.9	6	1	..	11	14	32	..	119	13.8	33	
..	61	11	9.4	1	2	1.7	..	
Jalpaiguri†	50	1	1.0	2	2.1	..	
Kamarhati†	44	19	22.0	2	1	..	1	7	8.3	..	
Kanchrapara	59	33	29.2	1	..	1	..	4	3.5	..	
Krishnagar	57	2	1.8	2	1	3	..	7	6.4	..	
Midnapore	34	8	12.3	2	3.1	..	
Nabadwip	55	5	4.8	
Naihati	44	8	9.5	2	2.4	..	
North Barrackpore	76	18	12.4	6	4	2	1	21	14.4	7	
Panihati	68	3	2.3	2	1.5	..	
Santipur	72	20	14.5	1	13	..	4	..	20	14.5	2	
Serampore	163	12	3.8	2	1	..	4	1.3	..	
Siliguri†	163	12	3.8	2	1	..	4	1.3	..	
South Dum-Dum	68	3	2.3	2	1.5	..	
South Suburban†	72	20	14.5	1	13	..	4	..	20	14.5	2	
Titagarh	163	12	3.8	2	1	..	4	1.3	..	
Tollygunj	163	12	3.8	2	1	..	4	1.3	..	
TOTAL	4,658	1,299	14.5	57	2	..	128	81	332	5	1,000	11.2	218	

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not sufficiently be reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal disease in towns with a population of over 30,000 in India for the week ending the 7th June, 1952—contd.

Town	Mid-1952 Popu. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES (Part B)															
Returns not received.															
Jammu & Kashmir															
Madhya Bharat															
Greater Gwalior	249	25	5.3	7	23	4.9	3
Indore City	325	110	17.0	..	2	..	34	4	5	2	106	17.0	48
Ratlam city	66	21	10.6	7	..	8	..	24	18.0
Ujjain city	130	43	16.4	2	..	2	..	30	11.5	13
TOTAL	776	199	13.3	..	2	..	50	4	15	2	183	12.3	64
Mysore State															
Bangalore City	825	461	29.1	..	2	..	5	37	44	..	229	14.4
Davanagere	59	39	34.4	1	..	1	..	6	8.0
Kolar Gold Fields†
Mysore City	257	107	21.6	10	0	63	12.7
TOTAL	1,141	607	27.7	..	2	..	16	43	45	..	298	13.6
PEPSU															
Bhatinda	35	19	28.2	1	1	3	4.5
Major Kotla	33	9	11.2	1	3	..	1	..	7	11.0
Patiala	100	29	15.1	22	..	1	..	38	19.8
TOTAL	168	57	17.6	1	28	1	2	..	48	14.9
Rajasthan															
Alwar	59	21	18.5	8	..	3	..	23	26.2
Bharatpur	38	26	35.5	18	23.4	6
Bikaner	117	35	10.6	..	2	..	1	21	6.4	1
Churu	43	6	7.3	4	4	4.8
Ganganagar	39	4	11	14.6
Jaipur†	181	80	23.0	6	..	3	..	42	12.1	5
Jodhpur
Kotah City	66	15	11.8	7	1	18	14.2
Sikar	46	12	13.5	1	5	5.6
Tonk	43	8	9.7	4	2	2	..	11	13.3	3
Udaipur	94	4	2.2	..	1	..	6	7	3.8
TOTAL	726	207	14.8	..	3	..	41	3	8	..	160	11.5	15
Saurashtra															
Bhavnagar	143	46	16.7	25	..	5	..	47	17.1	11
Dhoraji	45	27	31.2	4	3	8	9.0
Gondal	38	13	17.8	5	..	4	..	14	19.2	3
Jamnagar	109	23	11.0	..	1	..	13	1	2	..	26	12.4	8
Junagadh	63	14	11.6	13	1	2	..	22	18.2	7
Morvi	41	13	16.5	3	..	2	1	6	7.6	1
Porbandar	60	24	20.8	16	2	2	..	32	27.7	14
Rajkot	141	60	22.1	21	3	3	..	41	15.1	19
Surenara Nagar	36	2	2.9	4	..	2	..	11	15.9	1
Veraval	42	6	7.4	6	..	2	..	10	12.4	6
TOTAL	718	228	16.5	..	1	..	110	10	24	1	217	15.7	10
Travancore-Cochin															
Alleppey	1.4	96	40.3	1	1	2	1	13	5.5	3
Changanacherry	37	34	47.5	1	6	8.4	2
Ernakulam	64	40	32.5	2	1	..	1	22	17.9	2
Kottayam	46	27	30.5	7	7.9
Mattancherri	78	63	43.1	3	..	12	8.2	1
Nagerecoil	83	26	16.3	3	11	8.8
Quilon	68	71	54.3	1	1	..	7	5.4	2
Trichur	71	42	39.8	1	3	..	13	9.5	1
Travandrum City	195	189	50.4	5	4	9	..	47	12.5	5
TOTAL	764	588	40.0	12	8	18	2	141	9.6	16

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently be reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used: —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
ARREAR RETURNS																
•																
Madhya Bharat																
For w/e the 17th May, 1952																
Greater Gwalior	240	53	11.1	14	1	7	1	24	5.0	..			
Indore City†	66	13	10.2	8	1	8	2	25	19.6	9			
Ratlam City	136	37	14.1	5	5	10	..	54	20.6	17			
TOTAL	451	103	11.0	27	7	25	3	103	11.0	26			
Madhya Bharat																
For w/e the 24th May, 1952																
Greater Gwalior	240	65	13.6	17	1	1	..	19	4.1	..			
Indore City	325	130	20.8	..	1	..	1	1	2	1	123	19.7	45			
Ratlam City	66	12	9.5	13	..	8	..	26	20.5	6			
Ujjain City	136	35	13.5	2	1	5	..	33	12.7	19			
TOTAL	776	242	16.2	..	1	..	33	3	16	1	201	13.5	70			
Ratlam w/e 10.5.52	60	12	9.5	1	3	1	11	..	21	16.5	3			
Travancore - Cochin																
For w/e the 17th May, 1952																
Alleppey	124	62	26.0	1	1	..	1	20	8.4	8			
Changanacherry	37	17	23.9	1	..	1	1.4	..			
Ernakulam	64	52	42.3	5	1	31	25.2	6			
Kottayam	40	27	30.5	2	..	1	1	12	13.0	..			
Mattancherri	76	67	45.4	3	..	4	..	13	8.9	2			
Nagercoil	83	33	20.7	3	..	1	..	6	3.8	1			
Quilon	68	51	37.7	2	1	..	5	3.8	1			
Trichur	71	48	35.2	2	13	0.5	2			
Trivandrum City	195	158	42.1	5	3	7	1	35	9.3	6			
TOTAL	764	515	41.9	19	8	15	4	136	9.3	26			
Travancore-Cochin																
For w/e the 24th May, 1952																
Alleppey	124	91	38.2	2	..	6	2.5	2			
Changanacherry	37	14	19.7	1	..	7	9.8	1			
Ernakulam	64	44	35.8	2	..	2	..	20	10.3	3			
Kottayam	46	41	46.3	4	4.5	1			
Mattancherri	76	54	36.9	1	..	3	..	11	7.3	3			
Nagercoil	83	26	15.1	2	5	3.1	..			
Quilon	68	50	42.6			
Trichur	71	36	26.4	..	1	..	1	1	9	6.6	1			
Trivandrum City	195	107	28.5	3	3	1	..	23	6.1	2			
TOTAL	764	469	31.9	..	1	..	0	4	9	..	85	5.8	13			
Saurashtra																
For w/e the 24th May, 1952																
Bhavnagar	143	58	21.1	14	4	5	..	45	10.4	11			
Dhoraji	45	15	17.3	7	2	3	..	15	17.3	..			
Gondal	38	17	23.3	4	7	9.6	3			
Jamnagar	109	27	12.9	12	..	3	..	28	13.4	8			
Junagadh	63	13	10.7	5	11	8.1	4			
Morvi	41	16	20.3	8	1	1	..	10	12.7	3			
Porbandar	60	36	31.2	33	..	1	2	63	54.6	34			
Rajkot	141	73	26.0	31	2	8	..	51	18.8	28			
Surendra Nagar†	..	12	14.9	3	3	3.7	..			
Veraval	12	14.9	3	3	3.7	..			
TOTAL	640	267	117	9	21	2	233	..	91			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently be reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rates; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 7th June, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Bihar		For w/e the 24th May 1952														
Arrah	67	7	5.4	1	1	0.8	..			
Bettiah	36	24	34.6	4	5.8	..			
Bhagalpur	118	26	15.7	..	2	..	1	..	1	..	10	6.1	..			
Bihar†																
Chapra†																
Darbhanga †																
Dinapur-Nizamat †																
Gaya	138	60	22.6	..	2	..	20	..	5	..	39	14.7	..			
Jamalpur	45	1	1.2			
Jamshedpur	227	101	23.1	3	..	24	5.5	2			
Monghyr†																
Muzaffarpur	77	15	10.1	1	5	13	8.9	..			
Patna	293	52	9.2	..	1	..	11	1	30	5.3	..			
Ranchi	113	5	2.3	..	1	..	3	2	14	6.4	..			
Purulia †																
TOTAL		1,111	291	13.6	1	6	..	41	3	9	..	135	6.3	5		
Madhya Pradesh																
For w/e																
Jabalpur	212	34	8.4	..	2	..	3	1	20	4.9	1			
Achalpur	36	22	31.8	11	..	1	..	15	21.7	5			
Wardha	41	14	17.8	2	..	1	..	5	6.3	1			
Hinganghat	34	40	61.2	12	..	1	..	24	36.7	13			
Wardha	41	18	22.8	3	..	1	..	7	8.9	2			
Hinganghat	34	26	39.8	4	2	6	9.2	..			
Punjab (I)																
Hoshiarpur	47	24	26.7	2	..	1	..	9	10.1	1			
Rohtak	73	42	30.1	16	..	1	..	20	14.3	7			
Simla	46	24	27.3	1	5	5.7	2			
Sonepat	31	17	28.7	5	..	2	..	9	15.2	2			
Jammu & Kashmir																
Jammu	64	32	20.0	4	2	1	..	12	9.7	1			
"	64	39	31.6	1	..	2	..	9	7.3	1			
"	64	54	43.8	7	..	2	..	16	13.0	..			
"	64	39	31.6	2	..	4	..	11	8.9	1			
"	64	38	30.8	1	..	4	..	9	7.3	2			
"	64	39	31.6	1	1	..	1	3	2.4	..			
"	64	41	33.3	6	..	4	..	18	18.1	1			
"	64	38	30.8	2	1	3	..	8	6.5	1			
"	64	23	18.6	2	..	6	4.8	1			
Rajasthan																
Jaipur	307	26	4.4	..	1	..	20	6	13	..	70	11.8	25			
"	307	33	5.5	..	1	..	28	12	7	..	90	15.2	90			
"	307	38	6.4	..	1	..	39	10	15	2	113	10.1	33			
"	307	51	8.6	47	10	15	1	115	19.4	33			
Tonk	43	16	19.3	5	..	6	1	16	19.3	4			
"	43	6	7.2	5	..	3	2	8	9.7	1			
"	43	6	7.2	9	1	3	..	16	19.3	3			
"	43	8	9.0	20	..	4	4	28	33.0	..			
Churu	43	4	4	4.8	..			
"	43	2	2.4	3	3	3.6	..			
"	43	1	1.2	5	5	6.0	..			
"	43	1	1.2	2	2	2.4	..			
Ganganagar	39	2	13	15	..	13			
"	39	4	6	..	4	14	..	8			
"	39	1	8	10	..	9			
"	39	6	7	..	3	15	..	11			
Kotah	66	9	6	10			
"	66	7	11	10			
"	66	3	10	1	16			
"	66	7	4	1	2	..	11			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently be reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P. =Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th June, 1952, relate to 231 towns with an estimated population of 30,495 thousands. The total number of towns is 281 and their population is 34,545 thousands. Thus 82% of the total number of towns representing 88% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,882 and 9,106 representing birth and death rates of 25.4 and 15.5 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 192 towns with an estimated population of 28,202 thousands. The total number of towns is 235 and their population is 29,351 thousands. Thus 82% of the total number of towns representing 89% of the total population is covered. The numbers of births and deaths recorded in these towns were

12,996 and 8,059 representing birth and death rates of 25.8 and 16.0 per thousand of population respectively. The table at the end gives the position by States.

Gondia in Madhya Pradesh was the only town which had a high death rate of 66.7 per thousand of population and this high death rate was mainly due to deaths from fevers.

(B) States (Part B).—The data here relate to 39 towns with an estimated population of 4,293 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 85% of total number of towns representing 83% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,886 and 1,047 representing birth and death rates of 22.8 and 12.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 7-6-52		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	17.9	17.9	36.6	14.1	27.8	20.5
Bihar . . .	11.6	7.4	9.0	8.1	9.8	11.1
Bombay . . .	31.1	16.5	33.0	16.7	28.4	19.1
Delhi . . .	22.0	12.8	37.0	11.5	29.6	16.7
Madhya Pradesh . .	19.2	16.0	26.1	16.8	24.3	19.2
Madras . . .	35.1	18.6	44.7	30.0	42.1	26.3
Orissa . . .	29.4	15.3	40.1	17.7	40.6	22.3
Punjab (I) . . .	26.3	11.4	18.3	9.9	19.2	13.5
Uttar Pradesh . . .	25.5	21.0	32.8	18.4	27.2	24.0
West Bengal . . .	14.5	11.2	13.0	10.7	9.3	12.8
India (only States Parts A & C)	25.8	16.0	29.0	17.3	26.8	20.5

NEW DELHI-2 (INDIA);
The 30th June, 1952.

O. V. RAMCHANDANI,
for Registrar General, India.

